



NEW COLLECTION

Kajaria
ETERNITY
tiles forever



Kajaria
ETERNITY
tiles forever

Welcome the season with the new exciting range from Kajaria to beautify your living spaces.

Each tile unique, made with utmost perfection and gives you the impression of an everlasting beauty, that's beyond imagination.

Kajaria

ETERNITY

tiles forever

60 x 120 CM THE SIZE

Classy tiles for floors and walls, the large slab dimensions of The Size lend an air of elegance and sophistication to any room. Drawing rooms look more regal, bedrooms exude luxury, and dining rooms feel like a banquet.

20 x 120 CM THE WOOD

Bringing you the homely warmth of real wood finish, minus all the fussy maintenance rituals, The Wood is exactly what you need to spruce up that space. Choose from an irresistible range of finishes to complement your unique style. Its superior strength and durability make it the ideal candidate for both outdoor and indoor use. Most importantly, not a tree is hurt in the process!

60 x 60 CM (15mm thickness) THE MAXXUS

The Maxxus is as tough as rock. Come rain, storm or blazing heat, it takes on elements with ease, season after season, keeping its beauty intact. Maxxus is available in astounding designs to suit your abode.

60 x 60 CM (9mm thickness) THE STAR

The tile that homes love, The Star is by far the most popular size among all tiles. Economical enough to fit your budget, and with dimensions that make it ideal for mid-size homes, The Star is available in a wide range of stunning designs and attractive colours.

30 x 60 CM THE TREND

Tiles that redefine high fashion. A combination of exciting colours and designs makes. The Trend collection the perfect style statement for your home. No wonder, they show up in so many trendy residences and commercial spaces.

- The largest range in the category
- Multiple & unique highlighters with special finishes
- High fashion statement
- Strong & durable
- High flexural strength
- Stain proof
- Almost 0% water absorption
- Scratch & abrasion resistant




60 x 120 CM THE SIZE



20 x 120 CM THE WOOD




60 x 60 CM THE MAXXUS



60 x 60 CM THE STAR



30 x 60 CM THE TREND



ARMANI GREY POLISHED



AVORIO BEIGE POLISHED



CRYSTAL BIANCO POLISHED



ESTORIYA BEIGE POLISHED



BELLAGIO BEIGE POLISHED



BRECCIA POLISHED



ESTORIYA GREY POLISHED



ESTORIYA MARFIL POLISHED



BRECCIA AURORA POLISHED



CARRARA POLISHED



CHIPSON BEIGE POLISHED



CHIPSON BROWN POLISHED



60 x 120 CM



GLACIER WHITE

POLISHED



NANTES GREY

POLISHED



ONYX BEIGE

POLISHED



ONYX MARFIL

POLISHED



TOLOSA GREY

POLISHED



TRAFFORD GREY

POLISHED




TRAVERTINO SILVER


POLISHED




ARMANI GRIS PREMIUM POLISHED



DYNASTY BROWN PREMIUM POLISHED




NERO ST LAURENT SUPER POLISH



SODALITE AZUL SUPER POLISH



EMPERADOR GRIS PREMIUM POLISHED



FANTASY BROWN PREMIUM POLISHED



TOLOSA GRIS PREMIUM POLISHED



CORINO BROWN SUPER POLISH



MARINE BLACK SUPER POLISH



METRIC OXIDO SUPER POLISH





BELLAGIO BEIGE

MATT



CEPPO BEIGE

MATT



CEPPO GREY

MATT



GLACIER WHITE

MATT



NEBRASKA GREY

MATT



NEBRASKA GRIS

MATT



NORWICH GREY

MATT



NORWICH GRIS

MATT



ARDESIA DECOR/POLISHED
(Matching with Oslo Ocre/Oslo Bronze Polish)



DYLIN DECOR/POLISHED
(Matching with Estoriya Marfil Polish)



ARCOS GRIS DECOR/MATT - PUNCH
(Matching with Oslo Gris Matt)



ARCOS BRONZE DECOR/MATT - PUNCH
(Matching with Oslo Bronze Matt)



ERASMUS DECOR/POLISHED
(Matching with Travertino Silver Polish)



MEDINA DECOR/POLISHED
(Matching with Maimi Beige Polish)



ARCOS MULTI BEIGE DECOR/MATT - PUNCH
(Matching with Vienna Beige Matt)



ARCOS MULTI GREY DECOR/MATT - PUNCH
(Matching with Luxor Marfil Matt)



MENORCA BEIGE DECOR/POLISHED
(Matching with Metric Oxido Polish)



MENORCA GREY DECOR/POLISHED
(Matching with Armani Grey/Armani Gris Polish)



ARCOS OCRE DECOR/MATT - PUNCH
(Matching with Oslo Ocre Matt)



ARCOS MARFIL DECOR/MATT - PUNCH
(Matching with Oslo Marfil Matt)



OTTAVIA DECOR/POLISHED
(Matching with Bellagio Beige Polish)



PERSIA DECOR/POLISHED
(Matching with Estoriya Beige Polish)




ARCOS WHITE DECOR/MATT - PUNCH
(Matching with Nakara Gris Matt)



BORAX DECOR/MATT
(Matching with Pulpis Marfil Matt)



BOTANICA
(Matching with Luxor Beige Matt) DECOR/MATT



HEXARO AZUL
(Matching with Sydney Cemento Matt) DECOR/MATT - PUNCH




HEXARO BEIGE
(Matching with Sydney Marfil/Sydney Café Matt) DECOR/MATT - PUNCH



HEXARO BROWN WOOD
DECOR/MATT - PUNCH



HEXARO GREY WOOD
DECOR/MATT - PUNCH




HEXARO GRIS
(Matching with Norwich GRIS/Norwich Grey Matt) DECOR/MATT - PUNCH



HEXARO WHITE
(Matching with Glacier White Matt) DECOR/MATT - PUNCH



MOMBASA
(Matching with Sydney Gris Matt) DECOR/MATT




PERFEDIA BEIGE
(Matching with Ceppo Beige Matt) DECOR/MATT



PERFEDIA GREY
(Matching with Ceppo Grey Matt) DECOR/MATT



PRADA
(Matching with Bellagio Beige Matt) DECOR/MATT





CHESTER PINE

WOOD



CHESTER TEAK

WOOD



CHESTER WALNUT

WOOD



MANHATTAN TEAK

WOOD



MANHATTAN WENGE

WOOD



TANZANIA OAK

WOOD



TANZANIA ROSE

WOOD



60 x 60 CM


(15mm thickness)



HUBLO GREY SUPER MATT



HUBLO GRIS SUPER MATT



HUBLO CREMA SUPER MATT



DUBLIN GREY PREMIUM MATT-PUNCH



DUBLIN GRIS PREMIUM MATT-PUNCH



URBANO BEIGE PREMIUM MATT-PUNCH



HUBLO MOKA SUPER MATT




SIKO CEMENT SUPER MATT



SIKO COCO SUPER MATT




URBANO NERO PREMIUM MATT-PUNCH




SANDRO AZUL PREMIUM MATT-PUNCH



SANDRO COAL PREMIUM MATT-PUNCH



SIKO IVORY SUPER MATT



SIKO NERO SUPER MATT



SANDRO BLANCO MATT-PUNCH



SANDRO OCRE PREMIUM MATT-PUNCH



SYDNEY CEMENTO PREMIUM MATT




SUMATRA BRONZE PREMIUM MATT-PUNCH



SANDRO MARFIL MATT-PUNCH



CHIPRO GREY PREMIUM MATT



CHIPRO BEIGE PREMIUM MATT



SUMATRA GREY PREMIUM MATT-PUNCH

60 x 60 CM

(15mm thickness)




ALMA DECOR-MATT



ASTORIA DECOR-MATT



LOTUS DECOR-MATT



PARCOS GRIS DECOR/MATT PUNCH



PARCOS MARFIL DECOR/MATT PUNCH



PARCOS OCRE DECOR/MATT PUNCH



RONDA DECOR DECOR/MATT PUNCH



RONDA DECOR-MATT



TURIA DECOR-MATT



60 x 60 CM

(9mm thickness)



BOOK MATCH

BRECCIA AURORA POLISHED




BOOK MATCH

FOSINA AZUL POLISHED



BOOK MATCH

THASSOS WHITE POLISHED



COSMIC AZUL POLISHED




COSMIC GREY POLISHED



GLACIER WHITE POLISHED




GOLDEN BORDOX POLISHED




GOLDEN PORTORO POLISHED




MARINA BLACK POLISHED



TARRAZO BEIGE POLISHED



TARRAZO GREY POLISHED



TARRAZO WENGE POLISHED



ARMANI GREY POLISHED



ARMANIA GRIS POLISHED



BORDOX TAUPE POLISHED



TESORA BRONZE POLISHED



TESORA MARFIL POLISHED

60 x 60 CM

(9mm thickness)



FEZ MATT MATT



GLACIER WHITE MATT



SINTRA ROSE MATT



SINTRA CEDAR MATT




SINTRA WENGE MATT



TRAPEZ MATT




DELPHI GREY PREMIUM MATT



DELPHI GRIS PREMIUM MATT



DELPHI CREMA PREMIUM MATT




DELPHI MOKA PREMIUM MATT



ARGOS IVORY MATT




ARGOS CEMENT SUPER MATT




ARGOS COCO SUPER MATT



ARGOS GREY SUPER MATT



ARGOS MOKA SUPER MATT




ARGOS NERO SUPER MATT



ARGOS OLIVE SUPER MATT



ARGOS TEAL SUPER MATT





ANTIGUA BEIGE POLISHED



CARDOBA MARFIL POLISHED



AMYA BLANCO MATT



GRETA DECOR/POLISHED



CARDOBA DECOR DECOR/POLISHED



OLIMPIA DECOR/SPARKLE



ANTIGUA BRONZE SUPER POLISHED



CARDOBA BRONZE SUPER POLISHED



AMYA AZUL SUPER MATT



SOHO BEIGE POLISHED




MARMOL CREMA POLISHED



PULPIS BEIGE POLISHED



NEBULA DECOR/POLISHED




MALAGA DECOR/POLISHED



CANCOON DECOR/POLISHED



SOHO BRONZE SUPER POLISHED



EMPERADOR BROWN SUPER POLISHED



PULPIS BRONZE POLISHED




MARMOL CREMA POLISHED



AMYA BLANCO MATT



ONYX BLANCO POLISHED




MALAGA DECOR/POLISHED



MALINGA DECOR/SPARKLE



BORMEO DECOR/POLISHED



BLACK PORTORO POLISHED



AMYA AZUL SUPER MATT



CREMA MARBLE POLISHED



PULPIS GREY POLISHED



LONDRA DECOR/POLISHED



PULPIS GRIS SUPER POLISHED





EMERALD BEIGE POLISHED



SIENA BEIGE POLISHED



METRO IVORY SATIN



METRO PERLA SATIN



BEECH BEIGE MATT



SAFARI BEIGE MATT



ETHOS DECOR/POLISHED



NIZA DECOR/POLISHED



MIDAS DECOR/SPARKLE



HARLEM DECOR/SPARKLE



VENEZIA DECOR/SPARKLE




KROMA DECOR/ SPARKLE



GLACIER WHITE POLISHED




OSLO BEIGE POLISHED



OXFORD BLANCO POLISHED



DUREN MARFIL MATT



BEECH TAUPE MATT



SAFARI BRONZE SUPER MATT



ZIBRA DECOR/POLISHED




JASMINE DECOR/POLISHED




KOONIN DECOR/POLISHED



ELENA DECOR/SPARKLE



OXFORD BLANCO POLISHED



GLACIER WHITE MATT



OSLO MARFIL MATT



BEECH TAUPE MATT



LUMINIA DECOR/POLISHED



THORIAN DECOR/MATT



JAVA DECOR/ SPARKLE



HOXTON DECOR/SPARKLE



60x120 cm

POLISHED

ARMANI GREY..... 01
 AVORIO BEIGE 01
 BELLAGIO BEIGE..... 01
 BRECCIA..... 01
 BRECCIA AURORA..... 01
 CARRARA..... 01
 CHIPSON BEIGE..... 01
 CHIPSON BROWN..... 01
 CRYSTAL BIANCO..... 02
 ESTORIYA BEIGE..... 02
 ESTORIYA GREY..... 02
 ESTORIYA MARFIL..... 02
 GLACIER WHITE..... 04
 NANTES GREY..... 04
 ONYX BEIGE..... 04
 ONYX MARFIL..... 04
 TOLOSA GREY..... 04
 TRAFFORD GREY..... 04
 TRAVERTINO SILVER..... 04

PREMIUM POLISHED

ARMANI GRIS 05
 DYNASTY BROWN..... 05
 EMPERADOR GRIS 05
 FANTASY BROWN..... 05
 TOLOSA GRIS..... 05

SUPER POLISH

CORINO BROWN..... 05
 MARINE BLACK 05
 METRIC OXIDO..... 05
 NERO ST LAURENT..... 06
 SODALITE AZUL..... 06

MATT

BELLAGIO BEIGE..... 08
 CEPPO BEIGE..... 08
 CEPPO GREY..... 08
 GLACIER WHITE..... 08
 NEBRASKA GREY..... 08
 NEBRASKA GRIS..... 08
 NORWICH GREY..... 08
 NORWICH GRIS..... 08

DECOR

ARCOS BRONZE..... 10
 ARCOS GRIS..... 10
 ARCOS MARFIL..... 10
 ARCOS MULTI BEIGE..... 10
 ARCOS MULTI GREY..... 10
 ARCOS OCRE..... 10
 ARCOS WHITE..... 10
 ARDESIA..... 09
 BORAX..... 10
 BOTANICA..... 11
 DYLIN..... 09
 ERASMUS..... 09
 HEXARO AZUL..... 11
 HEXARO BEIGE..... 11
 HEXARO BROWN WOOD..... 11
 HEXARO GREY WOOD..... 11
 HEXARO GRIS..... 11
 HEXARO WHITE..... 11
 MEDINA..... 09
 MENORCA BEIGE..... 09
 MENORCA GREY..... 09
 MOMBASA..... 11
 OTTAVIA..... 09
 PERFEDIA BEIGE..... 12
 PERFEDIA GREY..... 12
 PERSIA..... 09
 PRADA..... 12

20x120 cm

WOOD

CHESTER PINE..... 13
 CHESTER TEAK..... 13
 CHESTER WALNUT..... 13
 MANHATTAN TEAK..... 13
 MANHATTAN WENGE..... 13
 TANZANIA OAK..... 13
 TANZANIA ROSE..... 13

60x60 cm (15mm)

SUPER MATT

HUBLO GREY..... 15
 HUBLO GRIS..... 15
 HUBLO CREMA..... 15
 HUBLO MOKA..... 15
 SIKO CEMENT..... 15
 SIKO COCO..... 15
 SIKO IVORY..... 15
 SIKO NERO..... 15

MATT

SANDRO BLANCO..... 15
 SANDRO MARFIL..... 15

PREMIUM MATT

CHIPRO GREY..... 15
 CHIPRO BEIGE..... 15
 DUBLIN GREY..... 16
 DUBLIN GRIS..... 16
 URBANO BEIGE..... 16
 URBANO NERO..... 16
 SANDRO AZUL..... 16
 SANDRO COAL..... 16
 SANDRO OCRE..... 16
 SYDNEY CEMENTO..... 16
 SUMATRA BRONZE..... 16
 SUMATRA GREY..... 16

DECOR

ALMA..... 17
 ASTORIA..... 17
 LOTUS..... 17
 PARCOS GRIS..... 17
 PARCOS MARFIL..... 17
 PARCOS OCRE..... 17
 RONDA DECOR..... 17
 RONDA..... 17
 TURIA..... 17

60x60 cm (9mm)

POLISHED

ARMANI GREY..... 19
 ARMANIA GRIS..... 19
 BORDOX TAUPE..... 19
 BRECCIA AURORA..... 19
 COSMIC AZUL..... 19
 COSMIC GREY..... 19
 GLACIER WHITE..... 20
 GOLDEN BORDOX..... 20
 GOLDEN PORTORO..... 20
 FOSINA AZUL..... 20
 MARINA BLACK..... 20
 TARRAZO BEIGE..... 20
 TARRAZO GREY..... 20
 TARRAZO WENGE..... 20
 TESORA BRONZE..... 20
 TESORA MARFIL..... 20
 THASSOS WHITE..... 20

MATT

ARGOS IVORY..... 22
 FEZ MATT..... 21
 GLACIER WHITE..... 21
 SINTRA ROSE..... 21
 SINTRA CEDAR..... 21
 SINTRA WENGE..... 21
 TRAPEZ..... 21

PREMIUM MATT

DELPHI GREY..... 22
 DELPHI GRIS..... 22
 DELPHI CREMA..... 22
 DELPHI MOKA..... 22

SUPER MATT

ARGOS CEMENT..... 22
 ARGOS COCO..... 22
 ARGOS GREY..... 22
 ARGOS MOKA..... 22
 ARGOS NERO..... 22
 ARGOS OLIVE..... 22
 ARGOS TEAL..... 22

30x60 cm

POLISHED

ANTIGUA BEIGE 23
 ANTIGUA BRONZE..... 23
 BLACK PORTORO..... 24
 CARDOBA BRONZE..... 23
 CARDOBA MARFIL..... 23
 CREMA MARBLE..... 24
 EMERALD BEIGE..... 25
 EMPERADOR BROWN..... 23
 GLACIER WHITE..... 25
 MARMOL CREMA..... 23
 ONYX BLANCO..... 24
 OSLO BEIGE..... 25
 OXFORD BLANCO..... 25
 OXFORD BLANCO..... 25
 PULPIS BEIGE..... 23
 PULPIS BRONCE..... 23
 PULPIS GREY..... 24
 PULPIS GRIS..... 24
 SIENA BEIGE..... 25
 SOHO BEIGE..... 23
 SOHO BRONZE..... 23

MATT

AMYA AZUL..... 23
 AMYA BLANCO..... 23
 BEECH BEIGE..... 26
 BEECH TAUPE..... 26
 DUREN MARFIL..... 26
 GLACIER WHITE..... 25
 OSLO MARFIL..... 25
 SAFARI BEIGE..... 26
 SAFARI BRONZE..... 26

SATIN

METRO IVORY..... 25
 METRO PERLA..... 26

DECOR

BORMEO..... 24
 CANCOON..... 23
 CARDOBA DECOR..... 23
 ELENA..... 26
 ETHOS..... 25
 GRETA..... 23
 HARLEM..... 26
 HOXTON..... 26
 JASMINE..... 25
 JAVA..... 25
 KOONIN..... 25
 KROMA..... 26
 LUMINIA..... 25
 LONDRA..... 24
 MALAGA..... 23
 MALINGA..... 24
 MIDAS..... 25
 NEBULA..... 23
 NIZA..... 25
 OLIMPIA..... 23
 THORIAN..... 25
 VENEZIA..... 26
 ZIBRA..... 25

PACKING DETAILS

Dimensions (mm)	No. of Slabs / Box	Coverage Area
600x1200	02	1.44 M ²
200x1200	04	0.96 M ²
600x600 (9 mm)	04	1.44 M ²

TECHNICAL SPECIFICATIONS

S.No	Technical Characteristics	* IS 15622:2017, ISO 13006:2018 & EN 14411:2016 Group B1a (Annex G) Standard's Requirement	Kajaria Eternity Tile's Specifications	Test method
1	Deviation in length & width	± 0.1 % / ± 0.6 %	± 0.10 %	IS 13630-1 / EN ISO 10545-2
2	Deviation in thickness	± 5.0 %	± 4.00 %	IS 13630-1 / EN ISO 10545-2
3	Deviation in Straightness of sides	± 0.1 % / ± 0.5 %	± 0.10 %	IS 13630-1 / EN ISO 10545-2
4	Deviation in Rectangularity	± 0.1 % / ± 0.5 %	± 0.10 %	IS 13630-1 / EN ISO 10545-2
5	Deviation in Surface Flatness	± 0.5 %	± 0.15 %	IS 13630-1 / EN ISO 10545-2
6	Surface quality	95% of the tiles shall be free from visible defects	95% of the tiles shall be free from visible defects	IS 13630-1 / EN ISO 10545-2
7	Modulus of rupture	Avg. 35 N/mm ² , individual Min. 32 N/mm ²	≥ 40 N/mm ²	IS 13630-6 / EN ISO 10545-4
8	Breaking strength	Minimum 1300 N	≥ 2000 N	IS 13630-6 / EN ISO 10545-4
9	Bulk Density	Minimum 2.20 g / cc.	≥ 2.25g/cc	IS 13630-2
10	Water Absorption	≤ 0.8 % individual max. 0.1 % ≤ 0.5 % individual max. 0.6 %	≤ 0.08 %	IS 13630-2 / EN ISO 10545-3
11	Resistance to surface abrasion of Glazed tiles	Minimum Class II /Report abrasion class and cycle passed	PEI-Class III to Class V	IS 13630-11 / EN ISO 10545-7
12	Thermal expansion from ambient temperature to 100° C	Test method available	6x10 ⁻⁶ k ⁻¹ Maximum	IS 13630-4 / EN ISO 10545-8
13	Thermal shock resistance	10 cycles Minimum / Test method available	10 cycles Minimum	IS 13630-5 / EN ISO 10545-9
14	Moisture expansion	Maximum 0.02/ Test method available	Nil	IS 13630-3 / EN ISO 10545-10
15	Crazing resistance (Glazed Tiles)	Passes 4 cycles at 7.5 kg. / cm ² / Required	Passes 4 cycles at 7.5 kg/cm ²	IS 13630-9 / EN ISO 10545-11
16	Frost resistance	Required	100 cycles Minimum	IS 13630-10 / EN ISO 10545-12
17	Resistance to Household Chemicals & Swimming Pool Salts #	Minimum Class AA / Minimum GB	Minimum Class AA /Minimum GB	IS 13630-8 / EN ISO 10545-13
18	Resistance to Low & High Concentrations of Acids & Alkalis #	Manufacture to state the classification	Minimum Class AA / GLB, GHB	IS 13630-8 / EN ISO 10545-13
19	Stain Resistance**	Test method available	Minimum Class 1 /Class 3	IS 13630-8 / EN ISO 10545-14
20	Slipperiness	Test method available	≥ R-9	DIN 51130:2014
21	Co-efficient of friction	Manufacture to state the class	>0.40 (Rustic/Matt/Satin) /0.2 (Polish)	ISO 10545-17
22	Scratch hardness of surface (Moh's scale)	Minimum 5/Test method available	5 to 8	IS 13630-13 / EN 101
23	Impact Resistance	Minimum 0.55/Test method available	No Identification of cracking	IS 13630-14 / EN ISO 10545-5

Resistance to acids & alkalis (Exception of Hydrofluoric acid & its compounds)

** Vitrified tiles have resistance to most of the stains / chemicals but, it is recommended to take due care while laying and for day-to-day maintenance.

* Applicable in Gailpur plant only.

Colours in the catalogue are as accurate as printing process allows.

Please check actual tile sample before making the final selection.

Sizes mentioned in the catalogue are nominal sizes only.

No claim will be entertained once the tiles are fixed.

For better laying, please follow the instructions on the packaging box.

In case it is required to lay the tiles on wall or floor in STAGGERED PATTERN, then always lay them in Overlap 20:80 ratio, as shown in VISUAL 1 instead of Brick pattern (overlap 50:50 ratio), as shown in VISUAL 2.



VISUAL 1



VISUAL 2

PACKING DETAILS

Dimensions (mm)	No. of Slabs / Box	Coverage Area
300x600	08	1.44 M ²

TECHNICAL SPECIFICATIONS

S.No	Technical Characteristics	ISO 13006 Group B Ib	Kajaria Eternity STD Value	Test Method
1	Deviation in Length and Width (%)	± 0.6%	± 0.1%	ISO 10545-2
2	Deviation in Thickness (%)	± 5.0%	± 4.0%	
3	Deviation in Straightness of Sides (%)	± 0.5%	± 0.1%	
4	Deviation in Rectangularity (%)	± 0.6%	± 0.1%	
5	Deviation in Surface Flatness (%)	± 0.5%	± 0.15%	
6	Surface Quality	Minimum 95% free from visible defects.	No visible defects.	ISO 10545-4
7	Modulus of Rupture (N/mm ²)	≥ 30 N/mm ²	≥ 30 N/mm ²	
8	Breaking Strength (N)	≥ 1100 N	≥ 1100 N	Glossmeter 60 degree
9	Glossiness	Manufacture to state the class	Min 5 (Rustic) Min 90 (Polish)	
10	Water Absorption (%)	0.5 < Eb ≤ 3 %	≤ 1.00%	ISO 10545-3
11	Surface Abrasion Resistance*	Report abrasion class & cycles passed	PEI- Class III to V	ISO 10545-7
12	Co Efficient Thermal Expansion	Test Method Available	6x10~6 Max	ISO 10545-8
13	Thermal Shock Resistance	10 cycle minimum/ Test Method Available	10 Cycles Min.	ISO 10545-9
14	Moisture Expansion	Minimum 0.02/ Test Method Available	Nil	ISO 10545-10
15	Crazing Resistance (glazed tiles)	Required	Passes 4 cycles at 7.0 kg/cm ²	ISO 10545-11
16	Frost Resistance	Required	100 Cycle Pass	ISO 10545-12
17	Resistance to Household Chemicals & swimming pool Salts	Manufacture to state the class	Min GB	ISO 10545-13
18	Resistance to Low & High Concentration Acids & Alkalis	Manufacture to state the class	Min GLB, GHB	ISO 10545-13
19	Stain Resistance	Min Class 3	Min Class 3	ISO 10545-14
20	Slipperiness	Test Method Available	≥ R-9	DIN 51130:2014
21	Co Efficient Thermal Expansion	Manufacture to state the class	> 0.40 (Rustic, Matt, Satin) 0.2 (Polish)	ISO 10545-17
22	Scratch Hardness (MOH's Scale)	Manufacture to state the class	4 to 8	En101
23	Impact Resistance	Test Method Available	No Identification of cracking	ISO 10545-5

** Vitrified tiles have resistance to most of the stains / chemicals but, it is recommended to take due care while laying and for day-to-day maintenance. # Resistance to acids & alkalis (Exception of Hydrofluoric Acid & its Compounds)

Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selection.

Sizes mentioned in the catalogue are nominal sizes only.

No claim will be entertained once the tiles are fixed.

For better laying, please follow the instructions on the packaging box.

In case it is required to lay the tiles on wall or floor in STAGGERED PATTERN, then always lay them in Overlap 20:80 ratio, as shown in VISUAL 1 instead of Brick pattern (overlap 50:50 ratio), as shown in VISUAL 2.

Please make sure to check the shade/finish with the sales agent/dealer before making the final purchase because there might be variation in actual finish and that shown in the catalogue. The company will not bear any loss in such case.



VISUAL 1



VISUAL 2

PACKING DETAILS

Dimensions (mm)	No. of Slabs / Box	Coverage Area
600x600 (15 mm)	03	1.08 M ²

TECHNICAL SPECIFICATIONS

S.No	Technical Characteristics	ISO 13006:2018 Standard's Requirement	Kajaria Eternity Tile's Specifications	Test method
1	Deviation in length & width	± 0.30 %	± 0.10 %	EN ISO 10545-2
2	Deviation in thickness	± 5.0 %	± 4.00 %	EN ISO 10545-2
3	Deviation in Straightness of sides	± 0.30 %	± 0.10 %	EN ISO 10545-2
4	Deviation in Rectangularity	± 0.30 %	± 0.10 %	EN ISO 10545-2
5	Deviation in Surface Flatness	± 0.4 %	± 0.15 %	EN ISO 10545-2
6	Surface quality	Minimum 95% free from visible defects.	Minimum 95% free from visible defects.	EN ISO 10545-2
7	Water Absorption	≤ 0.5 %	≤ 0.08 %	EN ISO 10545-3
8	Modulus of rupture	≥ 35 N/mm ²	≥ 45 N/mm ²	EN ISO 10545-4
9	Breaking strength	≥ 1300 N	≥ 6500 N	EN ISO 10545-4
10	Imapct Resistance	Test method available	No identification of cracking	EN ISO 10545-5
11	Surface Abrasion Resistance	Report abrasion class & cycles passed	PEI-Class IV	EN ISO 10545-7
12	Co-efficient of Linear thermal Expansion	Test method available	6x10 ⁻⁶ Max.	EN ISO 10545-8
13	Resistance to Thermal Shock	Test method available	No visible defect	EN ISO 10545-9
14	Crazing resistance (Glazed Tiles)	Required	Passes 4 cycles at 7.0 kg/cm ²	EN ISO 10545-11
15	Frost Resistance	Required	100 cycles Pass	EN ISO 10545-12
16	Resistance to Household Chemicals & Swimming Pool Salts #	Manufacture to state the class	Min. GB	EN ISO 10545-13
17	Resistance to Low & High Concentrations of Acids & Alkalis #	Manufacture to state the class	Min. / GLB, GHB	EN ISO 10545-13
18	Slipperiness	Manufacture to state the class	≥ R-10	DIN 51130:2014
19	Co-efficient of friction	Manufacture to state the class	>0.34 (Rustic/ Matt)	ISO 10545-17
20	Stain Resistance*	Min. Class 3	Min. Class 3	EN ISO 10545-14

Resistance to acids & alkalis (Exception of Hydrofluoric acid & its compounds)

** Vitrified tiles have resistance to most of the stains / chemicals but, it is recommended to take due care while laying and for day-to-day maintenance.

- Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selection.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- In case it is required to lay the tiles on wall or floor in STAGGERED PATTERN, then always lay them in Overlap 20:80 ratio, as shown in VISUAL 1 instead of Brick pattern (overlap 50:50 ratio), as shown in VISUAL 2.
- Please make sure to check the shade/finish with the sales agent/dealer before making the final purchase because there might be variation in actual finish and that shown in the catalogue. The company will not bear any loss in such case.



VISUAL 1



VISUAL 2

KAJARIA DISPLAY CENTRES

NORTH

◆ **CHANDIGARH:**
SCO-8,1st floor, Sector 7C,
Madhya Marg,
Chandigarh - 160019
Phone : +91-172- 4631417
Mobile : 9779021253, 9779021262

◆ **DELHI:**
J-1/B-1 (Extn.), Mohan Co-operative
Industrial Estate, (Opp. Badar Pur Thermal
Power Station), Mathura Road,
New Delhi - 110 044, INDIA
Mobile : 9717795205, 9717795192

◆ **DEHRADUN:**
Fortuna Tower, 1078, First Floor,
Opp. IMA Blood Bank,
Chakrata Road Dehradun - 248001
Mobile : 7755001347, 9717795202
7755001346

◆ **JAIPUR:**
G-1, G-2, Aishwarya Tower,
Near Hotel Hawa Mahal, Ajmer Road
Jaipur-302005, Rajasthan
Phone - +91-141-2222955, 2223425

◆ **LUCKNOW:**
7, Tajpuria palace, Faizabad Road,
Indira Nagar, Lucknow, Uttar Pradesh
Mobile: 9717795204, 9956252777

◆ **VARANASI:**
Rukmani Tower, N8/247-2K-1,
DLW, BHU Road, Newada, Sunderpur
Varanasi-221005, Uttar Pradesh
Mobile : 9794865554, 9005095500

SALES REPRESENTATIVE

NORTH

GURGAON:
Mobile : 9717795209, 9717795210, 9717795156

NOIDA:
Mobile : 9717795205, 9717795190, 9717795200

DELHI & FARIDABAD:
Mobile : 9560553304, 9971744115, 9717795192

KUMAON:
Mobile : 7755001348, 7755001349, 9717795202

WESTERN UP:
Mobile : 9717795202, 8800093020, 7755001348

HARYANA:
Mobile : 8295200155, 8295200410

LUDHIANA:
Mobile : 9779021264, 9779021270, 9779021255, 9779021267

HIMANCHAL PRADESH:
Mobile : 9779027169, 9779021253

JAMMU & KASHMIR:
Mobile : 9906906622, 9086411081

WEST

◆ **AHMEDABAD:**
16-30, 2nd Floor, Agarwal Mall,
Opp. Sola Bhagwat Vidhyapith,
SG Highway, Ahemdabad-380060, Gujarat
Mobile: 9724340887, 9998804440

◆ **AURANGABAD:**
Plot no 300,10/3 N-3, Opposite Ramgiri
Hotel, Jalna Road, Sidco,
Aurangabad - 431003, Maharashtra
Mobile : 8600992620, 9730088497

◆ **MUMBAI:**
B WING, 617-620, Bonanza,
Sahar Plaza Complex, 6th Floor,
M. V Road, Near Hotel Kohinoor Continental,
JB Nagar, Andheri East.
Mumbai - 400059, Maharashtra
Phone : +91-22-67819000

◆ **NAGPUR:**
Parthamesh Raja Apartment., Above Bank of
Baroda, Untakhana Road, Medical Square,
Nagpur - 440009, Maharashtra
Mobile : 9987538689, 9730088497

◆ **PUNE:**
301 & 601-A, D.S.K. Gandhary Heights,
Ganesh Khind Road, Shivaji Nagar,
Pune - 411005
Mobile : 9730088497, 9730088498, 9730088499

CENTRAL

◆ **INDORE:**
15/2 Meera Path, Park Road
Opp. New Railway Station
Indore - 452013
Mobile: 9630025576, 9981528089

EAST

ASSAM:
Mobile : 9987701019, 9007011028

BIHAR:
Mobile : 9771458963, 9892408080

JHARKHAND:
Mobile : 9007011021, 7903234048

ORISSA:
Mobile : 9937185338, 9937285865

SOUTH

ANDHRA PRADESH:
Mobile : 9000300790

EAST

◆ **KOLKATA:**
Tirupati Plaza, 2nd Floor
74/2, Acharya Jagdish Chandra Bose
Road Kolkata - 700017, West Bengal
Mobile : 9007011028, 9007011021

SOUTH

◆ **BANGALORE:**
Farah Icon, 119 2nd Floor,
Opp. New Pass Port Kendra, Lalbagh Road,
Bangalore-560 027, Karnataka
Mobile: 9008402951, 9008402949, 9008016799

◆ **CHENNAI:**
Old No.10, New No.46, Montieth Road
Above Wait Rose Super market
Egmore, Chennai - 600 008.
Mobile : 979178678, 9952094333

◆ **COCHIN:**
Door No. 48/557-C, MN Square
Near Gold Souk, NH By Pass, Vyttila,
Cochin 682019, Kerala
Phone: +91 484-2912019
Mobile: 9746474725, 9746474729, 9633115715

◆ **COIMBATORE:**
1st Floor, No.57, Cowley Brown Road, Near Central
Library, R.S.Puram Coimbatore - 641002.
Mobile : 9629944454, 9677708080

◆ **HYDERABAD:**
#3 - 143, 1st Floor, Nirvana Building,
Kavuri Hills, Police Station Opp. Road, Madhapur
Hyderabad - 500081, Telangana
Mobile : 9000304996, 9000304992,
9000005383, 7680000890, 9000304997

◆ **VIJAYAWADA:**
Lakshmi narasamma arcade
Dno : 61-3/4-1, 1st Road
Geetha Nagar, Krishna Lanka Beside State Bank of
India National highway 5 Vijayawada - 520013
Mobile : 7680046467, 9000300790

WEST

GOA:
Mobile : 9665046116, 9730088497, 7028018708

NASIK:
Mobile : 8600992620, 9730088497, 7028030538

CENTRAL

CHHATTISGARH:
Mobile : 9981528088

RAIPUR:
Mobile : 9758598467, 9981528088

BILASPUR:
Mobile : 7898028779, 9981528088

BHOPAL:
Mobile : 9981528092



Toll Free No.: 1800-11-2992 | Email: info@kajariaeternity.com | For exports: global@kajariaeternity.com